

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	4136	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 05:39
S83	353	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and score	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 05:39
S84	185	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 05:43
S85	11	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4 with orientation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 06:42
S86	1	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4 with intensity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:07
S87	0	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4 with intensity)and (attitude or pitch or yaw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:08
S88	15	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4)and (attitude or pitch or yaw)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:13
S89	17	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with match\$4)and (attitude or pitch or yaw or roll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:41

S90	755	(score with match\$4)and (attitude or pitch or yaw or roll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:13
S91	3	(score with match\$4 with intensity)and (attitude or pitch or yaw or roll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:36
S92	0	boolean near2 bitwiswe with compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:37
S93	3	boolean near2 bitwise with compar\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:40
S94	23	morphological near2 filter\$4 with intensity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/18 08:41
S95	1	"6640088".pn.	USPAT	OR	OFF	2005/05/18 12:41
S96	1	"6640008".pn.	USPAT	OR	OFF	2005/05/18 12:41
S97	23	("4402053" "4473883" "4644585" "4654872" "4707647" "4712248" "4845765" "4876728" "4982438" "5040231" "5173946" "5220615" "5249035" "5263098" "5351310" "5422962" "5809171").PN. OR ("6173066"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/19 06:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and (score with (match\$4 or fit))and (attitude or pitch or yaw or roll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:42
L2	271	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and ((match\$4 or fit))and (attitude or pitch or yaw or roll)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:42
L3	54	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and ((match\$4 or fit))and (attitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:43
L4	30	382/103,151,209,210,211,216,217,218,219,220,221,222.ccls. and ((match\$4 or fit))and (attitude) and (intensity or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:56
L5	2365	((match\$4 or fit))and (attitude) and (intensity or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:56
L6	66	((match\$4 or fit))same (attitude) same (intensity or gray)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 07:57
L7	20	((match\$4 or fit))same (attitude) same (intensity or gray)same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:38
L8	2	weismuller and attitude	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:02

L9	351	((match\$4 or fit))same (attitude or orientat\$4) same (intensity or gray)same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:38
L10	488	((match\$4 or fit))same (attitude or orient\$6) same (intensity or gray)same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:39
L11	34	((match\$4 or fit))with (attitude or orient\$6) with (intensity or gray)with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:39

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	1006	382/155-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:57
L14	430	382/155-161.ccls. and (match or fit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:57
L15	23	382/155-161.ccls. and (match or fit)with (attitude or orient\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/19 08:58


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((match <or> fit)<in>metadata)<and>(attitude<in>metadata))<and>(imag..."



Your search matched 38 of 80 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- | | |
|--------------------------|---|
| <input type="checkbox"/> | <p>1. The support function, curvature functions and 3-D attitude determination
 Li, Y.; Woodham, R.J.;
 Computer Vision and Pattern Recognition, 1993. Proceedings CVPR '93., 1993 IEEE C
 Conference on
 15-17 June 1993 Page(s):676 - 677
 AbstractPlus Full Text: PDF(184 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>2. Development of image stabilization system for remote operation of walking robot
 Kurazume, R.; Hirose, S.;
 Robotics and Automation, 2000. Proceedings. ICRA '00. IEEE International Conference
 Volume 2, 24-28 April 2000 Page(s):1856 - 1861 vol.2
 AbstractPlus Full Text: PDF(544 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>3. Extracting 3-D parameters of an object from its 2-D images using the simulated a
 Sangjin Shin; Jophwan Chun; Jinho Bae;
 American Control Conference, 2000. Proceedings of the 2000
 Volume 3, 28-30 June 2000 Page(s):1725 - 1726 vol.3
 AbstractPlus Full Text: PDF(168 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>4. Finding 3D polyhedral object attitude using a virtual model for Industrial machini
 Triboulet, J.; Shaheen, M.; Mallem, M.; Fioroni, C.; Passemard, J.R.;
 Emerging Technologies and Factory Automation, 2001. Proceedings. 2001 8th IEEE In
 Conference on
 15-18 Oct. 2001 Page(s):57 - 65 vol.1
 AbstractPlus Full Text: PDF(871 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>5. Efficient new techniques for identification and 3D attitude determination of space
single image
 Bamieh, B.; De Figueiredo, R.;
 Robotics and Automation. Proceedings. 1985 IEEE International Conference on
 Volume 2, Mar 1985 Page(s):67 - 72
 AbstractPlus Full Text: PDF(464 KB) IEEE CNF</p> |
| <input type="checkbox"/> | <p>6. A biprocessor-oriented vision-based target tracking system
 Canals, R.; Roussel, A.; Famechon, J.-L.; Treuillet, S.;
 Industrial Electronics, IEEE Transactions on
 Volume 49, Issue 2, April 2002 Page(s):500 - 506</p> |


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((((match <or> fit)<in>metadata)<and>(attitude<in>metadata))<and>(ima..."



Your search matched 15 of 38 documents.

A maximum of 38 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

Modify Search

IEEE JNL IEEE Journal or Magazine

☐ Check to search only within this results set

IEE JNL IEE Journal or Magazine

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE CNF IEEE Conference Proceeding

Select Article Information

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- | | |
|--------------------------|--|
| <input type="checkbox"/> | 1. A biprocessor-oriented vision-based target tracking system
Canals, R.; Roussel, A.; Famechon, J.-L.; Treuillet, S.;
Industrial Electronics, IEEE Transactions on
Volume 49, Issue 2, April 2002 Page(s):500 - 506
AbstractPlus References Full Text: PDF (279 KB) IEEE JNL |
| <input type="checkbox"/> | 2. Detection and tracking of facial features in real time using a synergistic approach temporal models and generalized Hough-transform techniques
Schubert, A.;
Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE International
28-30 March 2000 Page(s):116 - 121
AbstractPlus Full Text: PDF (132 KB) IEEE CNF |
| <input type="checkbox"/> | 3. DEM generation using ERS-1/2 Interferometric SAR data
Shi Shiping;
Geoscience and Remote Sensing Symposium, 2000. Proceedings. IGARSS 2000. IEE
International
Volume 2, 24-28 July 2000 Page(s):788 - 790 vol.2
AbstractPlus Full Text: PDF (348 KB) IEEE CNF |
| <input type="checkbox"/> | 4. Determination of the attitude of 3D objects from a single perspective view
Dhome, M.; Richetin, M.; Lapreste, J.-T.; Rives, G.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 11, Issue 12, Dec. 1989 Page(s):1265 - 1278
AbstractPlus Full Text: PDF (960 KB) IEEE JNL |
| <input type="checkbox"/> | 5. A model-based 3-D vision system for bin-picking
Distanto, A.; Ancona, N.; Attolico, G.; Caponetti, L.; Chiaradia, M.; Stella, E.;
Circuits and Systems, IEEE Transactions on
Volume 35, Issue 5, May 1988 Page(s):545 - 553
AbstractPlus Full Text: PDF (864 KB) IEEE JNL |
| <input type="checkbox"/> | 6. Solar compass chip
Liebe, C.C.;
Sensors Journal, IEEE
Volume 4, Issue 6, Dec. 2004 Page(s):779 - 786
AbstractPlus References Full Text: PDF (768 KB) IEEE JNL |